

DESIGNED WITHOUT COMPROMISE.

RELIABLE, CAPABLE YET AFFORDABLE. HELPING YOUR BUSINESS GROW.

Mahindra. Always up for a challenge. www.mahindra.co.za

*TERMS & CONDITIONS APPLY

Mahindra Rise.

WHILE YOU TURN SOME HEADS, TURN SOME PROFIT

Who says you can't work in style and comfort. Our KUV 100 XPREZ is a workhorse that looks like a thoroughbred. It's been designed to not just have the looks but the accessibility and convenience you need to power your business. An impressive load capacity and a host of safety features means you can stay relaxed about delivering on your business promises. If you know where your business is ready to go, your fist stop should be Mahindra.

THE KUV 100NXT #XPREZ PANEL VAN




POWERED BY THE PEPPY 1.2L MFALCON PETROL ENGINE, DELIVERING 81 kW AND 115 Nm WITH A FUEL CONSUMPTION OF 5,8L/100KM IN A COMBINED CYCLE

#XPREZ

SMART DELIVERY SOLUTION


STURDY ANCHORS ARE PROVIDED FOR THE CARGO NETS











FIRE EXTINGUISHER STOWED IN FRONT OF THE PASSENGER SEAT IS SUPPLIED AS STANDARD

KUV#DARE



BASED ON THE KUV100 NXT K2+ THE #XPREZ IS CONVERTED AT MAHINDRAH'S SPECIAL FITMENT CENTRE IN GAUTENG, AND FEATURES COMFORTS SUCH AS POWER STEERING AND AIR CONDITIONING AS STANDARD, TO THIS HAS BEEN ADDED A RADIO AND CENTRAL LOCKING TO CREATE A COMFORTABLE AND CONVENIENT VEHICLE FOR ALL-DAY DRIVERS

KUV K2+ PANEL VAN			
TECHNICAL			
Petrol engine	mFalcon G80, Multi point fuel inject with dual variable valve timing	mFalcon G80, Multi point fuel injection (MPFI) with dual variable valve timing	
	Engine size	1.2	
	Max. gross power	61kW @ 5500 rpm	
	Max. gross torque	115 Nm @ 3500 rpm	
	Fuel consumption (Urban)	7.1 l/100 km	
	Fuel consumption (Extra urban)	5.3 l/100 km	
	Fuel consumption (Combined cycle)	5.9 l/100 km	
	CO2	141 g/km	
	Euro Stage	Euro 2	
Brakes	Front	Ventilated disc	
	Rear	Drum	
Transmission	Gearbox	5- speed manual	
	Drivetrain	Front wheel drive	
Tyres	NXT K2+ Petrol, K6+ Petrol / Diesel	Tubeless radials, 185/65 R14	
	Spare	Full size	

Please note: This information is correct at the time of going to press, but performance may differ in conditions other than those in which tests were conducted. In view of our policy of continuously improving our products, we reserve the right to alter specifications and designs without prior notice and without liability. Please consult your local dealer for latest specifications. Specifications, detailing and finishes differ on the various models available - please consult this specification sheet or your dealer for more information.

*Service plan and roadside assistance not applicable to vehicle sales in Botswana, Zambia and Zimbabwe.

KUV K2+ PANEL VAN	
DIMENSIONS AND CAPACITIES	
Overall length	3700 mm
Overall width (excluding ORVMs)	1727 mm (with door side cladding)
Overall height	1655 mm
Kerb mass	1190 kg (petrol) / 1235 kg (diesel)
GVM	1610 kg (petrol) / 1650 kg (diesel)
Front track	1490 mm
Rear track	1490 mm
Wheelbase	2385 mm
Turning circle	10.1 m
Ground clearance - Unladen	170 mm
Approach angle	20°
Breakover angle	17°
Departure angle	29°
Seating capacity	2-seater
Loading capacity	1350 litres / 350 kg
Fuel tank capacity	35 litres

STYLING	
Body coloured bumpers	•
Roof-mounted antenna	
Rear spoiler	•
Roof ditch seal	•
Wheels	Styled covers

TECHNOLOGY	
Pioneer sound system with smartphone clip and full integration	•
Speakers	2
Power sockets	Front

KUV K2+ PANEL VAN	
COMFORT	
Air-conditioner - manually operated	•
Air-conditioner type	Paper filter
Electric power steering	•
Seat Upholstery	Vinyl
Foldable rear seat	Full
Driver footrest	•
Integrated headrests (front)	•

CONVENIENCE	
Internally adjustable ORVM	Manual
Headlight adjustment	•
Under seat and under floor storage	•
LED Interior lamp (Roof lamp)	•
Night function internal rear view mirror	•

SAFETY	
ABS with EBD (electronic brakeforce distribution)	
Collapsible steering column	•
Side impact protection bars	•
Dual airbags (driver & passenger)	•
Central locking	With remote
Anti-theft security alarm	-
Engine immobilizer	•

WARRANTY & SERVICE INFORMATION		
Warranty	3-Years / 100 000 km standard warranty + 2-Years/50 000 km powertrain warranty	
Service plan	3-Years / 50 000 km (Optional on K2+)	

D

KUNADO

#XPRE



THE KUV100 #XPREZ COMES IN WHITE AS STANDARD, WITH LOTS OF SPACE FOR YOUR COMPANY BRANDING

THE LEGENDARY MAHINDRA GAMEVIEWER

PIKUF



THE MAHINDRA GAMEVIEWER SEATS 9 (+2 FOR DRIVER AND GUIDE) AND IS AVAILABLE IN VARIOUS CONVERSION OPTIONS: BASIC, SECTIONAL ROOF CUT-OUT, FOLD-DOWN WINDSCREEN, AND POLYCARBONATE SIDE PANELS

MEET THE GAME CHANGER

Superior technology and specs make our game viewer vehicle a common sighting on South Africa's reserves. Check out the specs for yourself and compare the costs. Reliability is key when you are out in the bush and our vehicles will always give you the peace of mind you deserve. Order the standard models or tell us how you would like to customize your vehicle to suit your business.

PIK UP SC 4X2 S4 AND PIK UP SC 4X4 S4 GAMEVIEWER

TECHNICAL	
Engine type/asperation	2.2m Hawk turbo diesel
Engine capacity	2179cc
Displacement/number of cylinders	4 cylinders
Fuel injection type	Common rail
Bore x stroke	85 mm x 96 mm
Compression ratio	15.5:1
Fuel type	Diesel
Power rating	103 kW @ 3750 rpm
Torque rating	320 Nm @ 1500-2800 rpm
Drive type	Optional 4X2 or 4x4
Gearbox type/transmission	6 Speed manual
Mechanical differential lock	Rear axle MLD
Brake type	Front - Disc Rear - Drum
Tyre size	245/75 R16
Spare wheel size	245/75 R16
Suspension front	Double wishbone with torsion bar
Suspension rear	Rigid leaf spring
Fuel tank capacity	80 L
Gcm	5650
Gvm	3150
Towing capacity - braked	2500 kg
Towing capacity unbraked	750 kg
Overall length	5175 mm
Overall width	1820 mm
Wheel base	3040 mm
Ground clearance	210 mm







PIK UP SC 4X2 S4 AND PIK UP SC 4X4 S4 GAMEVIEWER

FEATURES	
Front fog lamps	•
Dual projector headlamps	-
High level brake light	•
Colour coded bumpers	•
Colour coded mirrors	•
Colour coded door handles	Manual
Mud flaps	•
Side steps	•
Internally adjusted ORVM	Manual

COMFORT & CONVENIENCE Air conditioner (Manual/electronic control) Heater only Heated rear window demister n/a Power windows front/back -Power steering . Tiltable steering . Central locking -12V Charging points . Integrated audio system with USB and AUX -Door speakers Navigation system Tyretronics -Cruise control Steering mounted audio and cruise control . Swivel interior reading lamps Remote fuel cap (electrically/key) -Adjustable headrests (rear/front) • Upholstery Vinyl Illuminated keyring .

TECHNOLOGY	
Reverse camera	-
Digital immobiliser	•
Follow me home headlamps	-
Light sensing headlamps	-
Static bending headlamps	-



PIK UP SC 4X2 S4 AND PIK UP SC 4X4 S4 GAMEVIEWER

SPECIAL FITMENTS
Fold down windscreen
False dashboard with riptop canvas
Door panel according to conversion
Standard front seats trimmed with riptop canvas
Open front cab conversion
Rubberised the cap
Roll over compliant high roll cage
One piece roof trimmed with riptop canvas
9 separated rear bucket seats, trimmed
Book and binoculars pockets
2 rear body cut outs
Rubberised load box
9 lapbelt safety belts
Fire extinguisher
Optional: marine ply roof
Optional: riptop canvas roll down sides
Optional: 12V plug points inside cab
Optional: spare wheel fitted in back of cage

SAFETY	
Anti-locking braking system (ABS)	-
Electronic brake distribution (EBD)	-
Electronic stability program (ESP)	-
Hill hold and hill descent control	-
Seat belt pretensioner	-
Air bags (driver/passenger/side/curtain)	-
Seat belt reminders	•

WARRANTY & SERVICE INFORMATION	
Warranty	4 years/120 000 km
Service plan	Optional
Service intervals	20 000 km
Roadside assistance	4 years/120 000 km

USP'S	
Fold down windscreen	
Seating 9 + 2 with safety belts	
Book and binocular pockets	
One piece roof trimmed with ripstop canvas	
Rubberised load box	

Please note: This information is correct at the time of going to press, but performance may differ in conditions other than those in which tests were conducted. In view of our policy of continuously improving our products, we reserve the right to alter specifications and designs without prior notice and without liability. Please consult your local dealer for latest specifications. Specifications, detailing and finishes differ on the various models available - please consult this specification sheet or your dealer for more information. Service plan and roadside assistance not applicable to vehicle sales in Botswana, Zambia and Zimbabwe.

HIT THE GROUND RUNNING

Developed, designed and fitted to suit South African conditions and regulations. We know how strict the safety regulations are in our country and every requirement has been met in our vehicles to satisfy the needs of open cast mining and largescale construction operations. Durability, reliability and affordability combine to make Mahindra a great choice for commercial mining.

SOUTH AFRICA'S MINING VEHICLE

FITTED WITH A SET OF 24 DURABLE WHEEL NUT INDICATORS, ALONG WITH THE RELIABILITY OF THE 245/75R16 TYRE SIZE AND A MINIMUM GROUND CLEARANCE OF 210MM



CUSTOMISED AS STANDARD FOR MINING AND INDUSTRY

MAHINDRA'S LEGENDARY 2.2L MHAWK TURBO-DIESEL ENGINE WITH 6-SPEED MANUAL TRANSMISSION INCREASED POWER - 103KW AND HIGHER TORQUE - 320NM



NEW 8TH GENERATION TURBOCHARGER DRAMATICALLY IMPROVES PERFORMANCE AND FUEL CONSUMPTION ON AND OFF THE ROAD (7.8L/100KM) FACTORY FITTED TOWBAR WITH TOWING CAPACITY OF 2.5T 12V CHARGING POINTS IN FRONT AND BACK ROWS





HEAVY DUTY SEAT COVERS FOR INCREASED WEAR AND TEAR

SRS AIRBAG

AND PASSENGER AIRBAGS



HEAVY-DUTY ROLL-OVER PROTECTION WITH ROOF-MOUNTED LIGHT BAR AND LASER-CUT STEEL PROTECTION SCREEN



SECURE, LOCKABLE FIRST AID KIT AND COVID-19 KITS

DESIGNED WITHOUT COMPROMISE



COVID-19 KIT INCLUDED AT NO EXTRA COST



8KG FIRE EXTINGUISHER



RUBBERISED LOAD BAY WITH CARGO NET RED, WHITE AND YELLOW SAFETY DECALING REVERSE BUZZER

FIRE EXTINGUISHER, FIRT-AID KIT, COVID KIT WHEEL NUT INDICATORS AND STOP BLOCKS

PIK UP SC 4X4 S6 AND PIK UP DC 4X4 S6 MINING

TECHNICAL	
Engine capacity	2179 сс
Number of cylinders	4
Fuel type	Diesel
Aspiration	Turbocharger
Fuel injection type	Common rail
Bore x stroke	85 x 96 mm
Compression ratio	16.5:1
Power output	103 kW @ 3750 r/min
Torque output	320 Nm @ 1500-2800 r/min
Fuel consumption - combined	7.9 I/100km (4WD)
CO ₂ Emission	211 gm/km (4WD)
Emission - Euro stage	Euro 2
Drive type	2WD & 4WD
Transmission	6-speed manual
Low range	on 4WD
Mechanical differential lock	Rear axle MLD
Wheel rim size	6.5J X 16"
Tyre size	245/75R16
Spare wheel	Full size spare
Spare wheel lock	Yes
GCM	5650 kg
GVM	3150 kg
Payload	995 kg (4WD)
Legal towing weight - braked	2500 kg
Legal towing weight - unbraked	750 kg
Overall length	5175 mm
Overall width	1820 mm
Overall height (unladen)	1915 mm
Minimum ground clearance	210 mm
Wheelbase	3040 mm
Track - front	1450 mm
Track - rear	1450 mm
Approach angle	34°
Breakover angle	18°
Departure angle	15°
Fuel tank capacity	80 litres
Turning circle radius	6.7 m
Load area (length x width x depth)	1489 X 1520 X 550 mm

Please note: This information is correct at the time of going to press, but performance may differ in conditions other than those in which tests were conducted. In view of our policy of continuously improving our products, we reserve the right to alter specifications and designs without prior notice and without liability. Please consult your local dealer for latest specifications. Specifications, detailing and finishes differ on the various models available - please consult this specification sheet or your dealer for more information.

 $^{\circ}\mbox{Service}$ plan and roadside assistance not applicable to vehicle sales in Botswana, Zambia and Zimbabwe.

PIK UP SC 4X4 S6 AND PIK UP DC 4X4 S6 MINING	
FEATURES	
Front fog lamps	•
Dual projector headlamps	•
High-level brake light	•
Heated rear window	-
Colour-coded bumpers	•
Colour-coded mirrors	•
Colour-coded door handles	•
Mud flaps	•
Side step	•
Integrated bonnet scoop	•
Side mouldings	•
Rubberised load bin	•
External ROPS	•
Mining spec kit	•
Fire Extinguisher	•
Heavy-duty seat covers	•
First aid kit	•
COVID-19 kit	•

COMFORT & CONVENIENCE	
Air conditioner	Manual
Heated rear window/demister	•
Power windows	•
Electric mirrors	•
Power steering	•
Tiltable steering	•
Central locking	•
Keyless entry	•
12V charging points - front and rear	•
Integrated audio system with USB and auxiliary	
Swivel interior reading lamps	•
Headrests	•
Upholstery	Fabric
Illuminated key ring	•
Swivel interior reading lamps	•
Remote fuel cap (electrically/key)	•
Adjustable headrests (rear/front)	•
Upholstery	Fabric
Illuminated keyring	•

PIK UP SC 4X4 S6 AND PIK UP DC 4X4 S6 MINING

•		
•		
•		
•		
•		
•		
•		
•		

TECHNOLOGY	
Micro hybrid (Start/stop)	•
Digital immobilser	•
Follow me home headlamps	•

WARRANTY & SERVICE INFORMATION	
Warranty	4-Years/120000 km
Service plan	5-Years/90000 km
Service intervals	20000 km
1st service 10000 km, thereafter every 20000 km (with Maximile Oils)	
Roadside Assistance	4-Years/120000 km



DURABILITY, RELIABILITY AND AFFORDABILITY COMBINE TO MAKE MAHINDRA A GREAT CHOICE FOR MINING

SAVING LIVES IS WHAT WE AIM FOR

Saving lives is something we take seriously. Our vehicles are specifically designed to render the absolute maximum capabilities in terms of aiding paramedics to perform their duties. Our vehicles are customizable to suit your requirements. Compare our value with anyone else and you'll be pleasantly surprised.

THE SA PIK UP AMBULANCE



THE PATIENT COMPARTMENT IS FITTED WITH AIR CONDITIONER, AN F-TYPE OXYGEN TANK WITH FLOW METER, AND AN ELECTRICALLY OPERATED WASH BASIN WITH FRESH WATER STORAGE

> <u>Mahindra</u> PIKUP

MBULANC

DESIGNED TO HELP PARAMEDICS PERFORM

VERTICALLY STORED SPINE BOARD

PA SYSTEM WITH SIREN











INTERIOR PATIENT CABIN FITTED WITH LIGHTING, SHOCK PROOF ANTI-SKID FLOORING, 12V POWER SUPPLY, AND SEATING WITH STORAGE CUPBOARDS INTERCOM BETWEEN DRIVER AND PATIENT CABIN AMBULANCE DECALS AND SLIDING WINDOWS WITH 4MM TOUGHENED FROSTED ARMOUR PLATE GLASS





CUSTOMISED TO SAVE LIVES



MUD FLAPS AND SIDE STEP HEATED REAR WINDOW DEMISTER

REAR FOOTSTEP AND RAMP AUTO-LOCKING DOORS INTERGRATED BONNET SCOOP FOG LAMPS

PIK UP SC S6 4X2 AMBULANCE	
TECHNICAL	
Engine type/asperation	2.2m Hawk turbo diesel
Engine capacity	2179 сс
Displacement/number of cylinders	4 cylinders
Fuel injection type	Common rail
Bore x stroke	85mm x 96 mm
Compression ratio	15.5:1
Fuel type	Diesel
Power rating	103 kW @ 3750 rpm
Torque rating	320 Nm @ 1500-2800 rpm
Driver type	4x2
Gearbox type/transmission	6 Speed manual
Mechanical differential lock	Rear axle MLD
Brake type	Front - disc Rear - drum
Tyre size	245/75 R16
Spare wheel size	245/75 R16
Suspension front	Double wishbone with torsion bar
Suspension rear	Rigid leaf spring
Fuel tank capacity	80 L
Gcm	5650
Gvm	3150
Towing capacity - braked	2500 kg
Towing capacity - unbraked	750 kg
Overall length	5175 mm
Overall width	-
Wheel base	3040 mm
Ground clearance	210 mm

Please note: This information is correct at the time of going to press, but performance may differ in conditions other than those in which tests were conducted. In view of our policy of continuously improving our products, we reserve the right to alter specifications and designs without prior notice and without liability. Please consult your local dealer for latest specifications. Specifications, detailing and finishes differ on the various models available - please consult this specification sheet or your dealer for more information. *Service plan and roadside assistance not applicable to vehicle sales in Botswana, Zambia and Zimbabwe.



PIK UP SC S6 4X2 AMBULANCE	
FEATURES	
Front fog lamps	•
Dual projector headlamps	•
High level brake light	•
Colour coded bumpers	Front only
Colour coded mirrors	•
Colour coded door handles	•
Mud flaps	•
Side steps	•
Internally adjusted ORVM	•

COMFORT & CONVENIENCE	
Air conditioner (Manual/electronic control)	Manual aircon
Heated rear window demister	•
Power windows front/back	•
Power steering	•
Tiltable steering	•
Central locking	•
12V Charging points	•
Integrated audio system with USB & AUX	•
Door speakers	•
Cruise control	•
Steering mounted audio & cruise control	CC only
Swivel interior reading lamps	•
Remote fuel cap (electrically/key)	•
Adjustable headrests (rear/front)	•
Upholstery	Fabric
Illuminated keyring	•

TECHNOLOGY	
Reverse camera	-
Digital immobiliser	•
Follow me home headlamps	•
Light sensing headlamps	-
Static bending headlamps	-



PIK UP SC S6 4X2 AMBULANCE
SPECIAL FITMENTS
Insulated and painted canopy built on exisisting load bin
4mm toughened and frosted side windows and rear door glass
Anti-skid shock proof flooring
Beacon lights
PA system with siren
Side blinkers
Rear footstep
Ramp
2.5kg Fire extinguisher
12V Power supply in patient cabin
Rear spot lamp
Intercom between driver and patient cabin
Lighting in patient cabin
Ventilator fans
Roll and cot stretcher - 6ft
Spine board
Bell buzzer
Seat for 3 people with storage
lectrically operated wash basin with fresh water and waste storage
Auxiliary battery fitted in rear storage compartment
Ambulance decals

SAFETY	
Anti-locking braking system (ABS)	•
Electronic brake distribution (EBD)	•
Electronic stability program (ESP)	-
Hill hold and hill descent control	-
Seat belt pretensioner	•
Air bags (driver/passenger/side/curtain)	DP
Seat belt reminders	•

WARRANTY & SERVICE INFORMATION	
Warranty	4 years/120 000 km
Service plan	Optional
Service intervals	20 000 km
Roadside assistance	4 years/120 000 km


USP'S	
Anti skid shock proof flooring	
PA system with siren	
2.5 kg Fire extinguisher	
Ventilation fans	
Seating for three people with under storage	

FULL SET OF AMBULANCE DECALS

UPPER AND LOWER STORAGE COMPARTMENTS IN THE PATIENT CABIN

TAKING YOUR BUSINESS TO NEW HEIGHTS WHILE ENSURING YOUR PRODUCTS REMAIN FRESH

The coolest delivery solution for your business is the Mahindra Pik Up Refrigeration Unit. Our reliable, capable yet affordable S4 Single Cab is the hardest worker you'll ever have on your team. Made to inspire growth, the Mahindra Pik Up Refrigeration Unit boasts with a 2.2L, 4 cylinder mHawk turbo-diesel engine. The Mahindra Refrigeration Unit will take your business to new heights while ensuring your Fresh-Frozen goods; Pharmaceuticals and/or Ice-cream remain fresh – ready for your customers to enjoy.



PICK UP REFRIGERATED UNIT		
TECHNICAL DATA	S 4	
Engine capacity	2179 сс	
Number of cylinders	4	
Fuel type	Diesel	
Aspiration	Turbocharger	
Fuel injection type	Common rail	
Bore x stroke	85 x 96 mm	
Compression ratio	16.5:1	
Number of cylinders	4	
Power output	103 kW @ 3750 r/min	
Torque output	320 Nm @ 1500 - 2800 r/min	
Fuel consumption - combined	7.7 l/100 km	
CO, Emission	204 gm/km	
Emission - Euro stage	Euro 2	
Drive type	2WD / 4WD	
Transmission	6-speed manual	
Low range	Available on 4WD only	
Mechanical differential lock	Rear axle MLD	
Wheel rim size	6.5J X 16"	
Tyre size	245/75R16	
Spare wheel	Full size spare	
Spare wheel lock	Yes	
GCM	5650 kg	
GVM	3150 kg	
Legal towing weight - braked	2500 kg	
Legal towing weight - unbraked	750 kg	
Overall length	5175 mm	
Overall width	1820 mm	
Overall height (unladen)	2310 mm	
Minimum ground clearance	210 mm	
Wheelbase	3040 mm	
Track - front	1450 mm	
Track - rear	1450 mm	
Approach angle	34°	
Breakover angle	18°	
Departure angle	15°	
Fuel tank capacity	80 litres	
Turning radius	6.7 m	
Loading volume	6385 L	
Loading capacity	733 kg	

PICK UP REFRIGERATED UNIT		
FEATURES	S4	
New front grille with silver highlights	-	
Fog lamps, new round style with silver bezel	-	
New clear-lens side indicator with amber bulb	-	
New clear lens dual projector headlamps	-	
High-level brake light	•	
One-touch lane change indicator	-	
Colour-coded bumpers	-	
Electric outside rear-view mirrors (ORVMs)	-	
Colour-coded mirrors	-	
Colour-coded door handles	-	
Mud flaps	•	
Side step	•	
Integrated bonnet scoop	•	
Side mouldings	•	

COMFORT AND CONVENIENCE	S4
Air conditioner (Manual control)	Optional
Heater and fan	•
Heated rear window demister	•
Power windows	-
Power steering	•
Tiltable steering	•
Central locking	-
Keyless entry	-
12V charging point on central bezel	•
Integrated audio system with USB & AUX	-
Swivel interior reading lamps	•
Height adjustable driver's seat	-
Arm rests for driver and passenger	-
Headrests	•
Upholstery	Vinyl
Electrically operated fuel lid	-
Illuminated key ring	•


TECHNOLOGY	S4
Micro hybrid (Start/stop)	•
Cruise control	-
Digital immobiliser	•
Follow me home headlamps	-
Automatic headlamp reminder	-


PICK UP REFRIGERATED UNIT	
SAFETY	S4
Anti-Lock Braking System (ABS)	-
Electronic Brake Distribution (EBD)	-
Seat Belt Pretensioned	-
Air-Bags (Driver Passenger)	-
Side impact protection bars	•
Collapsible steering column	-
Crash bar	•
Seat belt reminder	•
Auto-locking doors	-

WARRANTY AND SERVICE INFORMATION S4	
Warranty	4-Years/120 000 km
Service plan**	Optional
Service intervals	20 000 km
1st service 10 000 km, thereafter every 20 000 km (with Maximile Oils)	
Roadside Assistance**	4-Years/ 120 000 km

Please note: This information is correct at the time of going to press, but performance may differ in conditions other than those in which tests were conducted. In view of our policy of continuously improving our products, we reserve the right to alter specifications and designs without prior notice and without liability. Please consult your local dealer for latest specifications. Specifications, detailing and finishes differ on the various models available - please consult this specification sheet or your dealer for more information.

*Service plan and roadside assistance not applicable to vehicle sales in Botswana, Zambia and Zimbabwe.





Customer Care: (012) 661 3159 / (012) 661 3161 Email: customercare@mahindra.co.za www.mahindra.co.za

First Floor Block A Southdowns Ridge Office Park John Vorster Drive (corner Nelmapius) Southdowns Centurion P O Box 69079 Highveld Park 0169 South Africa

🖪 🎽 🖸 🎯

PLEASE NOTE: Some of the equipment shown in this brochure may not be available on all models or in all markets. Some finishes and specifications are also not available in all markets. All specifications are subject to change without notice. Please contact your local dealer for the latest information.

DATE OF PUBLICATION: NOVEMBER 2021 PART NO: BROCHURE 14885

MAHINDRA RECOMMENDS YOU USE ONLY





GET MOVING AGAIN

The new mzanzi app is now available for care, maintenance and a lot more



Mahindra. Always up for a challenge.